

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
9 August 2001 (09.08.2001)

PCT

(10) International Publication Number
WO 01/56402 A2

(51) International Patent Classification: A23L 1/00

(21) International Application Number: PCT/IB01/00743

(22) International Filing Date: 1 February 2001 (01.02.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/178,957 1 February 2000 (01.02.2000) US

(71) Applicant: MUSCLETECH RESEARCH AND DEVELOPMENT INC. [CA/CA]; Unit 100, 7050 Telford Way, Mississauga, Ontario L57 1VZ (CA).

(72) Inventors: GARDINER, Paul, T.; Brampton, Ontario (CA). WOODGATE, Derek, E.; Brampton, Ontario (CA).

(74) Agent: DEETH WILLIAMS WALL LLP, Suite 400, National Bank Building, 150 York Street, Toronto, Ontario M5H 3S5 (CA).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 01/56402 A2

(54) Title: α LIPOIC ACID BASED FOOD SUPPLEMENT FOR INCREASING LEAN MUSCLE MASS AND STRENGTH(57) Abstract: Food supplement compositions and their methods of use in increasing lean mass and/or muscle size and/or strength in individuals, particularly, athletes is described. The food supplements described comprise α lipoic acid or a derivative thereof, and an amino acid. Other food supplements described comprise a substance which can enhance and/or mimic activity of α lipoic acid, and a source of amino acid. The food supplement compositions described are suitable for supplementing the diet of an athlete and particularly for enhancing an athlete's muscle size and/or strength.

**α LIPOIC ACID BASED FOOD SUPPLEMENT FOR INCREASING LEAN
MUSCLE MASS AND STRENGTH**

CROSS-REFERENCE TO RELATED APPLICATIONS

- 5 This application claims the benefit of the U.S. provisional application Serial No. 60/178,957, filed February 1, 2000, the content of which is incorporated herein by reference.

FIELD OF INVENTION

- 10 The present invention is directed to food supplements which comprise a lipoic acid or a derivative thereof, and a source of amino acids or derivatives thereof, and to methods for supplementing the diet of an athlete and methods for enhancing an athlete's muscle size and/or strength, which methods employ these food supplements.

15 **BACKGROUND OF INVENTION**

- Food supplements based on natural products and approaches for enhancing an athlete's muscle size and/or strength have become popular exigencies in various sports and body building regimes. However, as athletes continually strive for improved performance, there is a continuing need for new more effective technologies to aid in increasing lean
20 muscle mass, muscle size and/or strength.

OBJECTS AND SUMMARY OF THE INVENTION

- α lipoic acid (also known as alpha-lipoic acid, thioctic acid or 6,8-dithio octanoic acid and also referred to as lipoic acid) is a nutrient that the human body makes in minute
25 quantities and may be obtained from yeast and liver. Studies have shown α lipoic acid can significantly increase the body's utilization of blood sugar in type II diabetes and that α lipoic acid may increase the metabolic clearance rate of glucose by 50% in type II diabetics. In Europe, α lipoic acid has been used as a substitute for insulin in the treatment of type II diabetes.

30

The present invention relates to supplementing the diet of an athlete with α lipoic acid or a derivative thereof in combination with a source of amino acids or derivatives thereof, may provide surprising enhancement of an athlete's muscle size and/or strength when administered to an athlete's diet. Accordingly, in one broad aspect the present invention provides new food supplements to increase the delivery and uptake of amino acids in the body. Preferably the invention provides food supplements particularly adapted for supplementing the diet of an athlete, preferably the food supplements of the present invention enhance an athlete's muscle size and/or strength.

According to one embodiment of the present invention there is provided a food supplement comprising α lipoic acid or a derivative thereof, and, a source of amino acids or derivatives thereof. Preferably the source of amino acids is whey protein or a derivative thereof.

According to another embodiment of the present invention, there is provided a food supplement comprising a substance which mimics and/or enhances activity of α lipoic acid or a derivative thereof, the supplement also containing glutamine or a derivative thereof. Preferably, where the substance enhances the activity of α lipoic acid or a derivative thereof, the supplement will contain both α lipoic acid or a derivative thereof and the enhancing substance.

According to another preferred embodiment, the supplements of the present invention comprise a α lipoic acid or a derivative thereof, and an amino acid or derivative thereof.

According to another preferred embodiment, the supplements of the present invention comprise a α lipoic acid or a derivative thereof, and glutamine or a derivative thereof.

In another broad aspect, the present invention provides methods of supplementing

bodybuilding in an athlete comprising administering to the athlete an effective amount of a food supplement according to the present invention to achieve an increase in muscle size and/or strength.

5 Other features and advantages of the present invention will become apparent from the following detailed description. It should be understood, however, that the detailed description and the specific examples while indicating preferred embodiments of the invention are given by way of illustration only, since various changes and modifications within the spirit and scope of the invention will become apparent to those skilled in the art from this detailed description.

DETAILED DESCRIPTION OF THE INVENTION

15 The food supplements and methods of the present invention may provide further and significant increase in muscle size and/or strength enhancement or improvement in individuals as compared with supplements and methods employing only proteins and/or amino acids or α lipoic acid alone. While it is expected that the supplements and methods of the present invention will be of importance to bodybuilders and other athletes, the supplements and methods of the invention are not limited to those groups. Rather, any individual may use the supplements and methods of the invention. Indeed, the supplements and methods may have applications to all animals. As used herein, the term "animals" includes all members of the animal kingdom, preferably humans. As used throughout the present specification a reference to an increase in muscle size is also understood to mean an increase in lean muscle mass.

25 The food supplements described herein comprise the compounds specifically identified and suitable derivatives thereof, for example a salt or ester. Suitable salts include, but are not limited to, alkali and alkaline earth metal salts, for example sodium, potassium or calcium salts, while suitable esters include, but are not limited to, alkyl esters, for example, methyl, ethyl or propyl esters, or lactone esters.

As used herein "source of amino acid" means any peptide, polypeptides, protein or any composition of individual amino acids or individual amino acid. As will be readily appreciated by those skilled in the art, other sources of protein include milk protein, casein, any of the albumins including chicken egg albumin, and soy, may also be used as a source of amino acids.

Throughout the present specification, whey protein and a derivative thereof are identified as the preferred source of amino acids or protein. Commercially available whey protein derivatives include WPI 97, Whey Peptides, WPC 80, and ION EXCHANGE whey protein, although any form of whey protein isolates (WPI), whey peptides, whey protein concentrate (WPC), or whey protein isolated by ion exchange may be used. Additionally, hydrolyzed whey protein may be used.

Supplements

Although the present invention is not to be limited by any theoretical explanation, it is believed that insulin is a primary factor that stimulates the uptake of glucose and amino acids into muscle cells and that the α lipoic acid both mimics and enhances the actions of insulin in glucose and amino acid transport into muscle cells. Insulin has been clearly shown to increase amino acid uptake into skeletal muscle, inhibit protein degradation, and stimulate protein synthesis: the net effect is an increase in protein efficiency and utilization. There it is theorized that α lipoic acid which mimics and enhances insulin sensitivity can decrease protein degradation and increase amino acid uptake, protein synthesis, nitrogen retention, muscle size and/or strength.

Accordingly, in its broad aspect the present invention provides a food supplement comprising α lipoic acid or a derivative thereof in combination with a source of amino acids. According to one embodiment the source provides varied amino acids, preferably such source of amino acids is whey protein selected from the group consisting of WPI, Whey peptides, WPC, ion exchange whey protein, although as indicated above, other protein sources may be used.

According to another embodiment of the present invention, there is provided a food supplement comprising a substance which mimics and/or enhances the activity of α lipoic acid or a derivative thereof, the supplement also containing a source of amino acids. According to a preferred embodiment, a source of amino acids is preferably selected from the group consisting of WPI, whey peptides, WPC, hydrolyzed whey protein, ion exchange whey protein, or lactoferrin, although as indicated above, any other protein source may be used.

According to another preferred embodiment, the supplements of the present invention comprise a α lipoic acid or a derivative thereof, and an amino acid or derivative thereof. Any amino acid type may be used in this embodiment, however only the single form of amino acid or a derivative thereof is used. For example, the combination may include leucine, isoleucine, valine, arginine, or alanine or peptides like alanyl-glutamine, glutamine-glycine.

According to another embodiment of the present invention, there is provided a food supplement comprising a substance which mimics and/or enhances activity of α lipoic acid or a derivative thereof, the supplement also containing glutamine or a derivative thereof.

According to another embodiment, a food supplement of the present invention comprises α lipoic acid or a derivative thereof and glutamine or a derivative thereof.

As will be readily appreciated by those skilled in the art, the supplement is not limited to only one form of α lipoic acid or a derivative thereof and one source of amino acids. Indeed the present invention provides for combinations of substances and sources of amino acids, in differing amounts.

The food supplement compositions of the present invention may be provided in a variety of formats, for example, in liquid form, powder form, protein bar form or encapsulated in liposomes. Powders are preferable and are prepared to be suitable for

mixing with water or other liquids. The food supplement compositions in powder or granular form may be provided in accordance with customary processing techniques, for example as spray dried powders, or the like.

5 The food supplement compositions can also contain ascorbic acid (vitamin C), for example in amounts equal to or exceeding the recommended minimum daily requirements. Another component for possible use in the food supplements of the present invention comprises beta-hydroxy, beta-methyl butyrate (HMB), in amounts known in the art. As will be appreciated by those skilled in the art, supplements may include one or more of a
10 large number of other component which include, as non-limiting examples, carbohydrates, dextrose, vitamins, minerals, herbs, prohormones, ribose and lecithin.

 The food supplement compositions may further comprise natural and/or artificial flavoring components, dyes or other coloring additives, preservatives and other
15 conventional food supplement additives known in the art.

Methods of Use of Supplements

 The food supplements according to the present invention may be employed in methods for supplementing the diet of an athlete, and/or for enhancing an athlete's muscle
20 size and/or strength. The food supplement compositions of the present invention are particularly advantageous for creating an increased anabolic environment for obtaining extra growth in lean muscle mass and/or strength. Accordingly, the present invention provides methods of supplementing bodybuilding in an athlete comprising administering to the athlete an effective amount of a food supplement according to the present invention.

25 Administration of an effective amount of the supplements and substances of the present invention is defined as an amount effective, at dosages and for periods of time necessary to achieve the desired result. The effective amount of the supplements of the invention may vary according to factors such as the age, sex, and weight of the athlete.
30 Dosage regime may be adjusted to provide the optimum response: Several divided doses

may be administered daily or the dose may be proportionally reduced as indicated by the exigencies of an individual athlete's situation.

As will be readily appreciated a food supplement in accordance with the present invention may be administered in a single serving or in multiple servings spaced throughout the day. In a preferred embodiment, a food supplement in accordance with the present invention may be administered once in the morning, once immediately or shortly after training and once in the evening on a daily basis. As will be understood by those skilled in the art, servings need not be limited to daily administration, and may be on an every second or third day or other convenient effective basis. As well the administration on a given day may be in a single serving or in multiple servings spaced throughout the day depending upon the exigencies of the situation.

In order to maximize the effects of a food supplement according to the present invention, in enhancing muscle size and/or strength, it is preferred that the food supplement is administered to the diet of the athlete immediately following an exercise period. On non-workout days, the food supplement may be administered anytime during the day, although administering a first amount of a food supplement upon awakening or otherwise during the morning hours is preferred.

The embodiments set forth in the present application are provided only to illustrate various aspects of the invention and additional embodiments and advantages of the food supplements and methods of the present invention will be apparent to those skilled in the art.

EXAMPLES

The present invention will be further explained in the following examples. However, the present invention should not be construed as limited as to scope and nature of the present invention. One of the ordinary skill in the art will understand how to vary the exemplified preparations to obtain the desired results.

EXAMPLE 1

In this example, an athlete consumes two servings of the food supplement as described herein daily, a serving of the food supplement immediately following his/her workout, and an additional serving 4 hours post workout. Each serving of the food supplement is about 100 grams and contains the following:

	<u>Component</u>	<u>Amount</u>
	α Lipoic acid	200 mg
	Glutamine	20 g
10	Dextrose	60 g
	Whey Protein	30 g
	Arginine	1 g
	Leucine	1 g
	Phenylalanine	1 g
15	Methionine	500 mg
	Glycosidal Saponins	200 mg
	N-Acetyl cysteine	100 mg
	Vitamin B6	10.5 mg
	Magnesium	200 mg
20	Vitamin E	400 IU
	Potassium Phosphate	100 mg
	Chromium Picolinate	<u>200 mcg</u>

Each approximate 100 gram serving is mixed with about 15 ounces of cold water to provide a liquid drink. An additional 8 ounces of water may be consumed after the food supplement liquid drink is consumed.

EXAMPLE 2

In this example, an athlete consumes two servings of the food supplement as described herein daily, a serving of the food supplement immediately following his/her

workout, and an additional serving 4 hours post workout. Each serving of the food supplement is about 120 grams and contains the following:

	<u>Composition</u>	<u>Amount</u>
5	α Lipoic acid	200 mg
	Glutamine	10 g
	Dextrose	75 g
	Whey Protein	30 g
	Arginine	1 g
10	Leucine	1 g
	Phenylalanine	1 g
	Methionine	500 mg
	Glycosidal Saponins	200 mg
	N-Acetyl cysteine	100 mg
15	Vitamin B6	10.5 mg
	Magnesium	200 mg
	Vitamin E	400 IU
	Potassium Phosphate	100 mg
	Chromium Picolinate	<u>200 mcg</u>

20

Each approximate 100 gram serving is mixed with about 15 ounces of cold water to provide a liquid drink. An additional 8 ounces of water may be consumed after the food supplement liquid drink is consumed.

25

EXAMPLE 3

The muscle size and/or strength enhancing regime of Example 1 is modified so that the athlete consumes four servings of the food supplement daily, with each serving being approximately 55 g of the supplement and comprising:

30

<u>Component</u>	<u>Amount</u>
------------------	---------------

	α Lipoic acid	100 mg
	Glutamine	10 g
	Dextrose	30 g
	Whey Protein	15 g
5	Arginine	0.5 g
	Leucine	0.5 g
	Phenylalanine	0.5 g
	Methionine	250 mg
	Glycosidal Saponins	100 mg
10	N-Acetyl cysteine	50 mg
	Vitamin B6	5.25 mg
	Magnesium	100 mg
	Vitamin E	200 IU
	Potassium Phosphate	50 mg
15	Chromium Picolinate	<u>100 mcg</u>

Each supplement serving is mixed with 8 ounces of cold water to provide a liquid drink. An additional 8 ounces may be consumed after the food supplement liquid drink is consumed.

EXAMPLE 4

The dosage regime described in Example 1 is completed, on workout days. The serving is consumed immediately after exercise and then again 4 hours later. On non-exercising days the athlete consumes the food supplement as described in Example 2. The serving is consumed upon waking, prior to bed, and at two other time points during the day. Alternatively the supplement is combined with other liquid drinks or foods as desired. The regime is continued for a minimum of 8 weeks to enhance increases in muscle size and/or strength.

The servings set forth in these examples are designed for a 2500 calorie diet. Daily values can be increased or decreased depending on the needs of the individual athlete.

5 The examples and embodiments set forth in the present applications are provided only to illustrate various aspects of the invention and additional embodiments and advantages of the food supplements and method of the present invention will be apparent to those skilled in the art.

WHAT IS CLAIMED IS:

1. A food supplement, comprising α lipoic acid or a derivative thereof, and at least one ingredient selected from the group consisting of amino acids and derivatives thereof and sources of amino acids, in amounts effective to increase lean muscle mass and strength.
2. A food supplement according to claim 1, wherein at least one amino acid is selected from the group consisting of glutamine, leucine, isoleucine, valine, arginine, alanine, and derivatives thereof.
3. A food supplement according to claim 2, wherein the amino acid is glutamine or a derivative thereof.
4. A food supplement according to claim 3, wherein the α lipoic acid derivative is a salt or ester.
5. A food supplement according to claim 3, wherein the glutamine derivative is a salt, ester, or keto acid.
6. A food supplement according to claim 3, wherein the glutamine is a dipeptide, tripeptide, or oligopeptide.
7. A food supplement according to claim 3, wherein the glutamine is bound in a dipeptide or tripeptide bond with at least one other amino acid.
8. A food supplement according to claim 3, wherein the amount of α lipoic acid or a lipoic acid derivative is between about 0.1 mg to about 100 mg per g of food supplement and the amount of glutamine or glutamine derivative is between 1 mg to about 500 mg per g of food supplement.
9. A food supplement according to claim 3, wherein the amount of α lipoic acid or a lipoic acid derivative is between about 0.5 mg to about 50 mg per g of food supplement and the amount of glutamine or glutamine derivative is about 5 mg to about 300 mg per g of food supplement.
10. A food supplement according to claim 3, wherein the amount of α lipoic acid or a lipoic acid derivative is between about 1 mg to about 20 mg per g of supplement and the amount of glutamine or glutamine derivative is about 10 mg to about 200 mg per g of food supplement.
11. A food supplement according to claim 3, further comprising a carbohydrate.
12. A food supplement according to claim 3, further comprising creatine, ginseng, N-acetyl cysteine, phenylalanine, ascorbic acid, inositol, d-pinitol, alpha tocopherol, sodium, potassium or phosphorus.

13. A food supplement according to claim 1, wherein the source of amino acid is a protein.
- 5 14. A food supplement according to claim 13, wherein the protein is a whey protein.
- 15 15. A food supplement according to claim 14, wherein the whey protein is selected from the group consisting of WPI 97, Whey Peptides, WPC 80, and ION EXCHANGE whey protein.
- 10 16. A method for increasing lean muscle mass and strength in an animal, comprising administering to the animal a food supplement comprises α lipoic acid or a derivative thereof, and at least one ingredient selected from the group consisting of amino acids and derivatives thereof and sources of amino acids, in amounts effective to increase lean muscle mass and strength.
- 15 17. A method according to 16, wherein at least one amino acid is selected from the group consisting of glutamine, leucine, isoleucine, valine, arginine, alanine and derivatives thereof.
- 20 18. A method according to claim 16, wherein the amino acid is glutamine or a derivative thereof.
- 25 19. A method according to claim 18, wherein the amount of α lipoic acid or α lipoic acid derivative is from about 10 mg to about 1000 mg per g of food supplement and the amount of glutamine or glutamine derivative is from about 0.01 g to about 100 g of glutamine per g of food supplement.
- 30 20. A method according to claim 18, wherein the amount of α lipoic acid or α lipoic acid derivative is from about 50 mg to about 500 mg per g of food supplement and the amount of glutamine or glutamine derivative is from about 0.05 g to about 50 g per g of food supplement.
- 35 21. A method according to claim 18, wherein the amount of α lipoic acid or α lipoic acid derivative is from about 100 mg to about 300 mg per g of food supplement and the amount of glutamine or glutamine derivative is from about 0.1 g to about 30 g per g of food supplement.
- 40 22. A method according to claim 18, wherein the amount of α lipoic acid or α lipoic acid derivative is from about 0.1 mg to about 40 mg per g of food supplement and the amount of glutamine or glutamine derivative is from about 1 g to about 500 g per g of food supplement.
23. A method according to claim 19, wherein the food supplement is about 1 g to about 500 g per day.

24. A method according to claim 19, wherein the food supplement is about 2 g to about 200 g per day.
- 5 25. A method according to claim 19, wherein the administering step is performed on a daily basis.
26. A method according to claim 16, wherein the administering step is performed immediately following an exercise period.
- 10 27. A method according to claim 16, wherein the food supplement further comprises a carbohydrate.
28. A method according to 16, wherein the source of amino acid is a protein.
- 15 29. A method according to 28, wherein the protein is a whey protein.
30. A method according to claim 29, wherein the protein is a whey protein.
- 20 31. A method according to claim 30, wherein the whey protein is selected from the group consisting of WPI 97, Whey Peptides, WPC 80, and ION EXCHANGE whey protein.
- 25 32. A method according to claim 16, wherein the food supplement is mixed with water to provide a liquid drink.
33. A method according to claim 16, wherein the food supplement is administered in a capsule or a pill.
- 30 34. A method according to claim 16, wherein the food supplement is administered in a nutrition bar.
- 35 35. A method for enhancing an athlete's muscle size, strength, glycogen storage or recuperative ability comprising administering to the diet of the athlete a food supplement comprising α lipoic acid or a derivative thereof, and glutamine or a derivative thereof by maximizing post-exercise amino acid levels, insulin levels and insulin efficiency.
- 40 36. A method according to claim 35, wherein the amount of α lipoic acid or α lipoic acid derivative is from about 10 mg to about 1000 mg per g of food supplement and the amount of glutamine or glutamine derivatives is from about 0.01 g to about 100 g per g of food supplement.
37. A method according to claim 35, wherein the amount of α lipoic acid or α lipoic acid derivative is from about 50 mg to about 500 mg per g of food supplement and

the amount of glutamine or glutamine derivatives is from about 0.05 g to about 50 g per g of food supplement.

- 5 38. A method according to claim 35, wherein the amount of α lipoic acid or α lipoic acid derivative is from about 100 mg to about 300 mg per g of food supplement and the amount of glutamine or glutamine derivative is from about 0.1 g to about 30 g per g of food supplement.
- 10 39. A method according to claim 35, wherein the amount of α lipoic acid or α lipoic acid derivative is from about 0.1 mg to about 40 mg per g of food supplement and the amount of glutamine or glutamine derivatives is from about 1 g to about 500 g per g of food supplement.
- 15 40. A method according to claim 36 wherein the food supplement is administered to the diet of the athlete on a daily basis.
41. A method according to claim 36, the food supplement is administered in an amount of from about 1 g to about 500 g per day.
- 20 42. A method according to claim 36, the food supplement is administered in an amount of from about 2 g to about 200 g per day.
43. A method according to claim 35, wherein the food supplement further comprises a carbohydrate.
- 25

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
9 August 2001 (09.08.2001)

PCT

(10) International Publication Number
WO 01/056402 A3(51) International Patent Classification: A23L 1/30,
1/305, A61K 31/385 // (A61K 31/385, 31:195, 31:195,
31:195)

(21) International Application Number: PCT/IB01/00743

(22) International Filing Date: 1 February 2001 (01.02.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/178,957 1 February 2000 (01.02.2000) US(71) Applicant: MUSCLETECH RESEARCH AND DE-
VELOPMENT INC. [CA/CA]; Unit 100, 7050 Telford
Way, Mississauga, Ontario L5S 1V7 (CA).(72) Inventors: GARDINER, Paul, T.; 46 Gladstone Square,
Brampton, Ontario L6S 2H6 (CA). WOODGATE, Derek,
E.; 14 Langford Court, Brampton, Ontario L6W 4K4 (CA).(74) Agent: DEETH WILLIAMS WALL LLP; Suite 400,
National Bank Building, 150 York Street, Toronto, Ontario
M5H 3S5 (CA).(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MY,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.(84) Designated States (regional): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

(88) Date of publication of the international search report:
22 August 2002For two-letter codes and other abbreviations, refer to the "Guide-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

WO 01/056402 A3

(54) Title: ALPHA LIPOIC ACID BASED FOOD SUPPLEMENT TO INCREASE LEAN MUSCLE MASS AND STRENGTH

(57) Abstract: Food supplement compositions and their methods of use in increasing lean mass and/or muscle size and/or strength in individuals, particularly, athletes is described. The food supplements described comprise α lipolic acid or a derivative thereof, and an amino acid. Other food supplements described comprise a substance which can enhance and/or mimic activity of α lipolic acid, and a source of amino acid. The food supplement compositions described are suitable for supplementing the diet of an athlete and particularly for enhancing an athlete's muscle size and/or strength.

INTERNATIONAL SEARCH REPORT

International Application No.
PCT/IB 01/00743

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A23L1/30 A23L1/305 A61K31/385 //(A61K31/385, 31:195, 31:195, 31:195)

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A23L A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, EPO-Internal, FSTA, BIOSIS

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>CA 2 246 014 A (GARDINER, P.) 19 January 2000 (2000-01-19)</p> <p>page 2, line 5-11 page 3, line 14 -page 4, line 5 page 4, line 12 -page 5, line 2 page 5, line 13-21 page 6, line 9-16 page 7, line 17 -page 8, line 2 page 8, line 22 -page 9, line 13 examples 1, 2 claims 1-14, 25</p> <p style="text-align: center;">--- -/-</p>	<p>1-4, 8-12, 16, 17, 23-27, 32-35, 40-43</p>

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"Z" document member of the same patent family

Date of the actual completion of the international search

20 February 2002

Date of mailing of the international search report

01/03/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5816 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 esp nl.
Fax: (+31-70) 340-3016

Authorized officer

Piret-Viprey, E

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/IB 01/00743

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 292 538 A (ASHMEAD H DEWAYNE ET AL) 8 March 1994 (1994-03-08) column 1, line 27-29 column 2, line 29-37 column 3, line 16-20 column 4, line 44-50 column 4, line 55 -column 5, line 4 column 8, line 5-13 example 1 ---	1, 11-14, 16, 27-30, 32
X	WO 99 55326 A (VIT IMMUNE L C) 4 November 1999 (1999-11-04) examples 1, 4 claims 1-4, 12, 14 ---	1-3, 12-14
X	GB 1 310 658 A (RICHARDSON MERRELL SPA) 21 March 1973 (1973-03-21) example 1A claims 1, 3, 6, 8 ---	1, 12
X	US 5 972 985 A (THOMAS PETER G ET AL) 26 October 1999 (1999-10-26) column 5, line 29-33 column 10, line 14-39 column 11, line 23-43 column 12, line 20-38 example XXI claims 1, 8 ---	1, 12
P, X	WO 00 72854 A (BIONEXUS LTD ; PACIORETTY LINDA (US)) 7 December 2000 (2000-12-07) page 4, line 27-31 page 6, line 26 -page 7, line 6 claims 1-3, 8, 10, 12, 19 ---	1, 11, 13
E	WO 01 28356 A (GARDINER PAUL T ; GILBERT MARK S (CA); MUSCLETECH RES AND DEV INC () 26 April 2001 (2001-04-26) page 2, line 12-19, 31, 32 page 4, line 19-27 page 4, line 37 -page 5, line 7 page 7, line 9-18 page 7, line 34 -page 8, line 8 page 8, line 24-29 examples 1-7 claims 1, 4, 6, 13, 37-42, 46-51 ---	1-3, 6, 11-18, 23-25, 27-35, 40-43

-/--

INTERNATIONAL SEARCH REPORT

International Application No.
PCT/IB 01/00743

C. (Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
E	US 6 277 842 B1 (CARTHON JAMES ALEXANDER) 21 August 2001 (2001-08-21) column 1, line 5-10 column 2, line 38-53 column 3, line 6-27, 56-63 column 5, line 10-40 column 6, line 10-16 claims 1,9 -----	1,13,16, 28,32,33
E	EP 1 112 693 A (QUEST INTERNAT B V) 4 July 2001 (2001-07-04) page 2, line 21-26 page 3, line 1-39 examples 2-4 claims 1-15 -----	1,2, 11-13, 35,40,43

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No.

PCT/IB 01/00743

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
CA 2246014	A	NONE	
US 5292538	A	08-03-1994	AT 197116 T 15-11-2000
		AU 669003 B2 23-05-1996	
		AU 4992893 A 14-02-1994	
		DE 69329596 D1 30-11-2000	
		DE 69329596 T2 15-03-2001	
		EP 0651617 A1 10-05-1995	
		ES 2151516 T3 01-01-2001	
		WO 9402036 A1 03-02-1994	
WO 9955326	A	04-11-1999	WO 9955326 A1 04-11-1999
		US 6262019 B1 17-07-2001	
GB 1310658	A	21-03-1973	AU 3460571 A 19-04-1973
		BE 773910 A1 31-01-1972	
		DE 2150900 A1 20-04-1972	
		FR 2110465 A5 02-06-1972	
		NL 7114199 A 18-04-1972	
		PH 12920 A 10-10-1979	
		ZA 7106628 A 28-06-1972	
US 5972985	A	26-10-1999	US 6329414 B1 11-12-2001
WO 0072854	A	07-12-2000	AU 5725500 A 18-12-2000
		WO 0072854 A1 07-12-2000	
WO 0128356	A	26-04-2001	AU 7894800 A 30-04-2001
		WO 0128356 A2 26-04-2001	
US 6277842	B1	21-08-2001	NONE
EP 1112693	A	04-07-2001	EP 1112693 A1 04-07-2001
		US 2001031729 A1 18-10-2001	